

Stampede® Brushless (Model 36354-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5116 1985	Ball bearings, blue rubber sealed (5x11x4mm) (2) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
	Body & Accessories	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
1926	Antenna caps, vinyl (2)/ antenna spool		axles (2)/ rubber tires (2)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		Chassis & Attachments
3619	Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)	9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3651X	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied)	9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3620-BLUE	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless	9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3620A-BLUE	mounting) Body, Stampede® (also fits Stampede® VXL), blue (painted,	9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
20540	decals applied) (assembled with front & rear body mounts for clipless mounting)	9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3651G	Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)	3725X	Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)
3620A-GRN	Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)	3627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
3620-GRN	Body, Stampede® (also fits Stampede® VXL), green (painted, decals	1834 3934	Body Clips (12) (standard size) Body clips, heavy duty (12)
	applied) (assembled with front & rear body mounts for clipless	3614X	Body crips, neavy duty (12) Body mounts, front & rear (for clipless body mounting)
3651T	mounting) Body, Stampede® (also fits Stampede® VXL), orange (painted,	3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
00011	decals applied)	2530-BLK	Bulkhead (front) (black)
3620-PINK	Body, Stampede® (also fits Stampede® VXL), pink (painted, decals	2530-GRAY 2735	Bulkhead (front) (gray) Bumper (front)
	applied) (assembled with front & rear body mounts for clipless	2735P	Bumper (front) (pink)
3620A-PINK	mounting) Body, Stampede® (also fits Stampede® VXL), pink (painted,	3635	Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12
	decals applied) (assembled with front & rear body mounts for	22224	BCS (2) (fits 2WD Stampede®) (for LED light kit installation)
20004	clipless mounting)	3622X	Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R
3620X	Body, Stampede® (also fits Stampede® VXL), ProGraphix® (graphics are printed, requires paint & final color application)/		ESC mounting plate)
	decal sheet	3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat
3651P	Body, Stampede® (also fits Stampede® VXL), purple (painted,		and hump style battery packs) (use only with #3626R ESC mounting plate)
3651	decals applied) Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)	3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
3620A-RED	Body, Stampede® (also fits Stampede® VXL), red (painted,	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
	decals applied) (assembled with front & rear body mounts for	3639	Shock tower (front)
3620-RED	clipless mounting) Body, Stampede® (also fits Stampede® VXL), red (painted, decals	3638R 9462X	Shock tower (rear) (for clipless body mounting) Side plates, wheelie bar, blue (aluminum) (2)
0020-REB	applied) (assembled with front & rear body mounts for clipless	9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
	mounting)	9462G	Side plates, wheelie bar, green (aluminum) (2)
3617	Body, Stampede® (clear, requires painting) (requires #3614 to mount)/window, lights, grill decal sheet	9462A 9462P	Side plates, wheelie bar, orange (aluminum) (2)
3649	Body, Stampede®, Hawaiian graphics (painted, decals applied)	9462P	Side plates, wheelie bar, pink (aluminum) (2) Side plates, wheelie bar, red (aluminum) (2)
3651L	Body, Stampede®, ProGraphix® (graphics are printed, requires	3623-BLK	Skid plates, front & rear (black)
2040	paint & final color application)/ decal sheet	3623-BLUE	Skid plates, front & rear (blue)
3648 2514	Body, Stampede®, Rock n' Roll (painted, decals applied) Decal sheet, racing sponsors	3623-GRN	Skid plates, front & rear (green)
3616	Decal sheets, Stampede®	3623-PINK 5185	Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
3619X	Latch, body mount, front (1), rear (1)/ latch mounts, front & rear (left &	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
	right) (for clipless body mounting)	3677X	Wheelie bar mount (1) / hardware (blue)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3677A	Wheelie bar mount (1) / hardware (green)
3931 5185	Screws, 3x8mm flat-head machine (hex drive) (6) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	3677P	Wheelie bar mount (1) / hardware (pink)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
3677X	Wheelie bar mount (1) / hardware (blue)	9464	Wheelie bar mount (heavy duty)
3677A	Wheelie bar mount (1) / hardware (green)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
3677P	Wheelie bar mount (1) / hardware (pink)	0.070	LED light kit installation)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678¥	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (green) (fits Stampede®, Stampede®
3678X 3678A	Wheelie bar, assembled (blue) (fits Stampede®, Rustier®, Bandit series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,	3678A 3678T	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
3678T	Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®,	3678P	Wheelie bar, assembled (orange) (itts Stashe, Stampedee, Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	507 OF	Bandit series)
-	Bandit series)		

Page 2	Stampede® Brushless:	TQ™ 2.4 GHz radio	(Model 36354-4) Parts List
--------	----------------------	-------------------	----------------------------

3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)		Extreme HD Upgrade Kit
9460	Wheelie bar, black (assembled)/ wheelie bar mount	9195	Camber links, front (molded composite) (69mm center to center)
9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount		(assembled with hollow balls) (for use with #9180 or 9181 upgrad
1976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar		kit)
186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9194	Camber links, rear (molded composite) (82mm center to center)
TIOUA	axles (2)/ rubber tires (2)		(assembled with hollow balls) (for use with #9180 upgrade kit)
186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	9150	Carriers, stub axle, rear, extreme heavy duty, black (left & rig
7100	axles (2)/ rubber tires (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180
461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/		9181, 9182 upgrade kit)
4017	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & rig
461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180
4011	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		9181, 9182 upgrade kit)
461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/	9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/
4010	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9
461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/		9182 upgrade kit)
7017	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & ri
461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180
	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	0450 00110	9181, 9182 upgrade kit)
461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/	9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left &
	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with
161	Wheels, wheelie bar, black (26mm (2), 18mm (2))	0450 DED	#9180, 9181, 9182 upgrade kit)
		9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & righ
	Differential Components		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180 9181, 9182 upgrade kit)
380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & rig
	Stampede®, Slash®)	9136	
381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 9181 upgrade kit)
	Stampede®, Rustler®)	9136-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & righ
382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	9130-BLUE	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180
	shaft (1) all hardened steel		9181 upgrade kit)
388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,	9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/
	Stampede®, Rustler®)	3130-GIVA1	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 ar
169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)		9181 upgrade kit)
647	Silicone Grease	9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & rig
	Driveline Components	3100-31th	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180
	-		9181 upgrade kit)
637	Axles (front) (2)	9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & r
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	o loo ollito	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180
150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/		9181 upgrade kit)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right
	9181, 9182 upgrade kit)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180
150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/		9181 upgrade kit)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180	Outer Driveline & Suspension Upgrade Kit, extreme heavy of
450 ODAY	9181, 9182 upgrade kit)		black (fits Rustler® 2WD or Stampede® 2WD)
150-GRAY	, , , , , , , , , , , , , , , , , , , ,	9180-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy d
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)		blue (fits Rustler® 2WD or Stampede® 2WD)
150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/	9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
150-GKN	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,		(fits Rustler® 2WD or Stampede® 2WD)
	9181, 9182 upgrade kit)	9180-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy d
150-ORNG			green (fits Rustler® 2WD or Stampede® 2WD)
130-01110	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	9180-ORNG	Outer Driveline & Suspension Upgrade Kit, extreme heavy d
	#9180, 9181, 9182 upgrade kit)		orange (fits Rustler® 2WD or Stampede® 2WD)
150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/	9180-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy d
IOU-INED	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,		red (fits Rustler® 2WD or Stampede® 2WD)
	9181, 9182 upgrade kit)	3638R	Shock tower (rear) (for clipless body mounting)
059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x2
057X	Differential output shafts, steel-splined constant-velocity (2)		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9
828A	Differential output sharts, steel-spinled constant-velocity (2) Differential output yoke assembly, extreme heavy duty (2) (left or		upgrade kit)
020A	right, front or rear) (assembled with external-splined half shaft)/	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20
	screw pin (2)		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9
852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully		upgrade kit)
002/1	assembled, ready to install)/ screw pin (1)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm
852R	Driveshafts, rear, steel-spline constant-velocity (complete		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
00210	assembly) (2)		upgrade kit)
052X	Driveshafts, rear, steel-spline constant-velocity (complete	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/
	assembly) (2)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180
750	Half shaft, external splined (steel-spline constant velocity) (1)		9181, 9182 upgrade kit)
)55X	Half shaft, external splined (steel-spline constant velocity) (1)	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/
	Half shaft, internal splined (steel-spline constant velocity) (1)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180
751			9181, 9182 upgrade kit)
		9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26
056X	Half shaft, internal splined (steel-spline constant velocity) (1)		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9
056X	Rebuild kit, steel-splined constant-velocity driveshafts (includes		
056X 058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)		upgrade kit)
056X 058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes	9189	Toe links (molded composite) (96mm center to center) (2) (asse
056X 058X 757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)	9189	• • •
056X 058X 757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right)	9189	Toe links (molded composite) (96mm center to center) (2) (asse with hollow balls) (for use with #9180 upgrade kit)
056X 058X 757 853A	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	3103	Toe links (molded composite) (96mm center to center) (2) (asserting with hollow balls) (for use with #9180 upgrade kit) Front Suspension & Steering
056X 058X 757 853A	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) Stub axle pins (4)	2537	Toe links (molded composite) (96mm center to center) (2) (asse with hollow balls) (for use with #9180 upgrade kit) Front SIIS DENSION & Steering 3mm threaded rods: 1 each of 20mm,25mm&44mm
056X 058X 757 853A 754 053X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1)	2537 3642	Toe links (molded composite) (96mm center to center) (2) (asse with hollow balls) (for use with #9180 upgrade kit) Front \$\frac{\text{SIISIONSION & Steering}}{\text{SIGNONSION & STEERING}}\$ 3mm threaded rods: 1 each of 20mm,25mm&44mm Attachment screws, shock (3x12mm shoulder screws) (6)
056X 058X 757 853A 754 053X 753	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Stub axle, rear, steel-splined constant velocity (1)	2537 3642 3637	Toe links (molded composite) (96mm center to center) (2) (asserbith hollow balls) (for use with #9180 upgrade kit) Front \$\frac{118101800}{18800} \frac{8}{8} \frac{1607100}{19} 3mm threaded rods: 1 each of 20mm,25mm&44mm Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2)
056X 058X 757 853A 754 053X 753	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear)	2537 3642 3637 5116	Toe links (molded composite) (96mm center to center) (2) (asserbith hollow balls) (for use with #9180 upgrade kit) Front \$\forall S \cdot \cdo\
6751 9056X 9058X 6757 6853A 9754 9053X 9753	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Stub axle, rear, steel-splined constant velocity (1)	2537 3642 3637	Toe links (molded composite) (96mm center to center) (2) (asse with hollow balls) (for use with #9180 upgrade kit) Front \$\frac{\text{SISIONSION & Steering}}{\text{SICONSION & STEERING}}\$ 3mm threaded rods: 1 each of 20mm,25mm&44mm Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2)

Page 3 St	tampede® Brushle	ss: TQ™ 2.4 (GHz radio (Mo	odel 36354-4)	Parts List
-----------	------------------	----------------------	---------------	---------------	------------

2545	Bushings (plastic) (5x8x2.5mm) (4)	3644	Turnbuckles, camber link, 39mm (69mm center to center)
9195	Camber links, front (molded composite) (69mm center to center) (2)	3044	(assembled with rod ends and hollow balls) (1 left, 1 right)
	(assembled with hollow balls) (for use with #9180 or 9181 upgrade	3643	Turnbuckles, camber link, 49mm (82mm center to center)
9136	kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/		(assembled with rod ends and hollow balls) (1 left, 1 right)
9130	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and		Hardware
	9181 upgrade kit)	1926	Antenna caps, vinyl (2)/ antenna spool
9136-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	1834 3934	Body Clips (12) (standard size) Body clips, heavy duty (12)
9136-GRAY	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/	3787	Hardware kit, Bandit®/Stampede®/Rustler® (contains all
3100-01011	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and		hardware used on Bandit®, Stampede®, or Rustler®)
	9181 upgrade kit)	2745	Nuts, 3mm nylon locking (12)
9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
9136-ORNG	,	1747 1747	Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
	9181 upgrade kit)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	9181 upgrade kit)	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1844X	Servo saver w/ adapters	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
3639	Shock tower (front)	3739	(2) Screw pin set (Rustler®/ Bandit/ Stampede®)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm	3965	Screws, 2.5x8mm cap-head machine (6)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	2587	Screws, 3x10mm caphead machine (6) (no washer)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2.2. 2 .0 2	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2578	Screws, 3x12mm button-head machine (hex drive) (6)
	upgrade kit)	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2593 2579	Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
	upgrade kit)	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,	2583	Screws, 3x18 button-head machine (hex drive) (6)
	9181, 9182 upgrade kit)	2580	Screws, 3x20mm button-head machine (hex drive) (6)
9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,	2591	Screws, 3x23mm button-head machine (hex drive) (6)
	9181, 9182 upgrade kit)	2582 2575	Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)
9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm	2554	Screws, 3x6mm caphead machine (nex drive) (6)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
3631X	upgrade kit)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
3631A	Suspension arms, black, front, heavy duty (2) Suspension arms, blue, front, heavy duty (2)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3631G	Suspension arms, green, front, heavy duty (2)	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3631T	Suspension arms, orange, front, heavy duty (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3631R	Suspension arms, red, front, heavy duty (2)	2754	Stub axle pins (4)
9142	Suspension pin set, extreme heavy duty, complete (front and rear)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens
	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)		caster blocks)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)	2746	Washers, 3x6mm metal (12)
	(strengthens caster blocks)		LED Lights
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen		LED light harness, rear (requires #2477 wheelie bar mount)
2532	front bulkhead) Tio box fiboralises (requires quanancien pine, port# 2640)	3694	LED light set, complete (includes front and rear bumpers with
9189	Tie bar, fiberglass (requires suspension pins, part# 2640) Toe links (molded composite) (96mm center to center) (2) (assembled	2263	LED lights & BEC Y-harness) (fits 2WD Stampede®) Y-harness, BEC to LED light set
3103	with hollow balls) (for use with #9180 upgrade kit)	2203	
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm		Motors & Electronics
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3737	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC
3131	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for		& BL-2s [™] 3300 motor)
	complete camber link set)	3383	BL-2s™ Electronic Speed Control, waterproof (brushless)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,		(fwd/rev/brake)
		3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL- 2s™
2336A	wrench Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)	3790	Gear adapter, fixed
	(assembled w/ rod ends & hollow balls) (fits Stampede®)	2053	Gear set (for 2055, 2056 servos)
	(requires 5mm aluminum wrench #5477)	2072A	Gear set (for 2070, 2075 servos)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front,	2252	Gear set, metal (for 2250, 2255 servos)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2272	Gear set, metal (for 2270 waterproof servo)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,	1552 3384	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3626R	Mounting plate, electronic speed control/receiver box (for installation
	wrench	302011	of XL-5/VXL and waterproof receiver box into Stampede®)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	2271	2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
2226	balls)/wrench	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	(requires 5mm aluminum wrench #5477)	2075	Servo, digital high-torque (ball bearing), waterproof
	,		

Page 4 Stampede® Brushless: TQ™ 2.4 GHz radio (Model 36354-4) Parts	age 4	Stampede®	Brushless:	TQ™ 2.	4 GHz radio	(Model 36354-4) Parts Lis
---	-------	-----------	-------------------	--------	-------------	----------------	-------------

2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Sensor, temperature and voltage (long)
2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball	2271 2074	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)
2233	bearing), waterproof	2074 2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof	2075	Servo, digital high-torque (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	2270 2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2056	Servo, high-torque, waterproof (blue case)
2056	Servo, high-torque, waterproof (blue case)	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
	speed control mounting plate (part #3725))	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
	Radio System, Batteries & Chargers		#6550X telemetry expander)
2827X	3000mah 7.4v 2-Cell LiPo Battery	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6540	3x8mm CCS (3)/ 3x10mm CCS (3)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	6509R	Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery		enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2914 2976	AA 4PK AC to DC adapter	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®		Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
2330X	batteries to separate balance ports)	CE1C	receiver)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6516 6528	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-
2943	Battery charge indicators, green (4), grey (4), blue (4)	6526	channel (transmitter only)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-
20221	transmitter)		channel (transmitter only)
2922X 2923X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
2925X 2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)	0544	channel (transmitter only)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)	6511 6537	Traxxas® Link Bluetooth® module Wire retainers, gear cover/ 3x4mm BCS (2)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	0557	
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)		Ready-To-Race Model
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)	36354-4	Stampede®: 1/10 Scale Monster Truck. Ready-To-Race® with TQ™
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)		2.4GHz radio system and BL-2s™ brushless ESC (fwd/rev).
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)		Rear Suspension
2960X 2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2000	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
	iD® battery (1))	9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2985-2S	Battery/charger completer pack (includes #2985 charger (1),	9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/
	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)		9182 upgrade kit)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery		9181, 9182 upgrade kit)
	Identification	9150-ORNG	
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with
2970	Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	0450 DED	#9180, 9181, 9182 upgrade kit)
2370	Identification	9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		9181, 9182 upgrade kit)
	Battery Identification	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	3638R	Shock tower (rear) (for clipless body mounting)
6525	Battery Identification Communication link, telemetry expander	3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	3655R	Suspension arms, front/rear (left & right), heavy duty (2)
	Battery Identification and Bluetooth®	3655G 3655T	Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2)
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
2053	Gear set (for 2055, 2056 servos)	9142	Suspension pin set, extreme heavy duty, complete (front and rear)
2072A	Gear set (for 2070, 2075 servos)	=	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with
2272	Gear set, metal (for 2270 waterproof servo)		#9180, 9181, 9182 upgrade kit)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	5031	Shock 01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
6557X	Mount, telemetry expander (fits Stampede® 2WD)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
0040	pad	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2916 6519	Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Receiver, micro, TQ 2.4GHz (3-channel)	5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)
6552	Seal kit, expander box (includes o-ring, seals, and silicone	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
J	grease)	3000A	80 wt premium shock oils with spinning carousel rack)
6526	Sensor, auto-detectable, temperature	5038	Spinning carousel rack
6527	Sensor, auto-detectable, voltage Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)		
6522			

004	Shocks (Pro-level Aluminum)	0766	Spur Gears & Pinion Gears
664	Big Bore shock cylinder (long) (1)	3790	Gear adapter, fixed
62	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	2416	Gear, 16-T pinion (48-pitch) / set screw
60	(assembled with TiN shafts and springs) (front & rear) (4) Big-bore shocks (long) (hard-anodized & PTFE-coated T6	1918	Gear, 18-T pinion (48-pitch) / set screw
60	aluminum) (assembled with TiN shafts) w/o springs (2)	2419	Gear, 19-T pinion (48-pitch) / set screw
62	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6	2421	Gear, 21-T pinion (48-pitch) / set screw
-	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2423 4725	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
69	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings	4125	Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Contro
	& washers (2) (Big Bore Shocks)	40/0	slipper clutch)
42	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Contro
	(2)	4000	slipper clutch)
12X	Rod ends, short (6)/ hollow balls (6)	4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Contro
67	Shock caps, aluminum (2) (Big Bore Shocks)		slipper clutch)
62	Shock rebuild kit (for 2 shocks)	4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slip
64T	Shock shafts, hardened steel, titanium nitride coated (long) (2)		clutch)
56T	Shock shafts, hardened steel, titanium nitride coated (xx-long)		Steering Components
2.4	(2)	2545	Bushings (plastic) (5x8x2.5mm) (4)
64 50	Shock shafts, steel, chrome finish (long) (2)	9195	Camber links, front (molded composite) (69mm center to center) (
56	Shock shafts, steel, chrome finish (xx-long) (2)	3133	(assembled with hollow balls) (for use with #9180 or 9181 upgrad
35	Silicone diaphragms (4)		kit)
88	Spring retainers, upper & lower (2)/ spring pre-load spacers:	2742	Rod ends, long (6)/ hollow ball connectors (6)
	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	1844X	Servo saver w/ adapters
60	,	9189	Toe links (molded composite) (96mm center to center) (2) (assem
30	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)		with hollow balls) (for use with #9180 upgrade kit)
59	Springs, rear (white) (progressive rate) (2) (for Slash big bore	2336	Turnbuckles, 78mm (2)
33	shocks)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
			(assembled w/ rod ends & hollow balls) (fits Stampede®)
	Shocks (Ultra Shocks)		(requires 5mm aluminum wrench #5477)
65A	Body, Ultra Shock (long) (grey) (2)	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm
66A	Body, Ultra Shock (XXL) (grey) (2)		(2)(assembled with rod ends & hollow balls) (fits Stampede®)
42	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		(requires 5mm aluminum wrench #5477)
	(2)		Suspension Linkage
42X	Rod ends, short (6)/ hollow balls (6)	9195	Camber links, front (molded composite) (69mm center to center) (
67	Shock caps (2)/ shock bottoms (2)	9195	(assembled with hollow balls) (for use with #9180 or 9181 upgrad
61	Shock caps (black) (4) (assembled with hollow balls)		kit)
67A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	9194	Camber links, rear (molded composite) (82mm center to center) (
67G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)		(assembled with hollow balls) (for use with #9180 upgrade kit)
67T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
	Shocks)		screws (2)
67P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	2742	Rod ends, long (6)/ hollow ball connectors (6)
67X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
62	Shock rebuild kit (for 2 shocks)	3642	Shoulder screws, Ultra Shocks (3x12) (6)
64T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	9142	Suspension pin set, extreme heavy duty, complete (front and rear
56T	Shock shafts, hardened steel, titanium nitride coated (xx-long)		(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use v
26.4	(2) Shock shofts stool shrows finish (long) (2)		#9180, 9181, 9182 upgrade kit)
64	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)
56	, , ,		(strengthens caster blocks)
42 65	Shoulder screws, Ultra Shocks (3x12) (6)	2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
	Silicone diaphragms (4)	2640	Suspension pins, 44mm (2) w/ E-clips
69	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	9189	Toe links (molded composite) (96mm center to center) (2) (assem
68	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole		with hollow balls) (for use with #9180 upgrade kit)
58	(2)) Springs (front) (2)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39
58A	Springs (front) (2) Springs (front) (white) (2)		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A fo
		07004	complete camber link set)
58T 57T	Springs, blue (front) (2)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49r
57T	Springs, blue (rear) (2)		(1) (assembled with rod ends & hollow balls) (See part 3741X complete camber link set)
58A 57A	Springs, green (front) (2)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39n
57A 58P	Springs, green (rear) (2) Springs, pink (front) (2)	5,51	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X fo
57P			complete camber link set)
	Springs, pink (rear) (2)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49m
57 57	Springs, rear (black) (2) Springs, red (for Ultra Shocks only) (2 5 rets) (f(r) (2)		(1) (assembled with rod ends & hollow balls) (See part 3741X
57 50V	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)		complete camber link set)
58X 57X	Springs, white (front) (2) Springs, white (rear) (2)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
60	• • • • • • • • • • • • • • • • • • • •		camber links)
60	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
62	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
-	spacers & springs) (rear) (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ba
60A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &		wrench
- · · ·	springs) (2)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
62A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &		(assembled w/ rod ends & hollow balls) (fits Stampede®)
J_, \	springs) (rear) (2)		(requires 5mm aluminum wrench #5477)
		3741G	Turnbuckles, aluminum (green-anodized), camber links, from
	Slipper Clutch Components		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ba
	Input shaft (slipper shaft) / spring pin	0744	wrench
93		3741T	Turnbuckles, aluminum (orange-anodized), camber links, from
	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		
	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		
52X		27440	wrench
93 52X 54 56	4.0mm NL (1)/ 5.0mm NL (1))	3741P	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ba wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ba

3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)
	balls)/wrench	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm	3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)
	(2)(assembled with rod ends & hollow balls) (fits Stampede®)	3672	Wheels, chrome (2.2") (rear) (2)
3644	(requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center)	3673	Wheels, chrome 2.2" (front) (2)
3044	(assembled with rod ends and hollow balls) (1 left, 1 right)	3674	Wheels, dyable nylon 2.2" (rear) (2)
3643	Turnbuckles, camber link, 49mm (82mm center to center)	3675	Wheels, dyeable nylon 2.2 (front) (2)
•••	(assembled with rod ends and hollow balls) (1 left, 1 right)	3774	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2)	5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)
	(assembled with rod ends and hollow balls) (fits Stampede®)		Transmission Components
	Team Traxxas Items	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
2514	Decal sheet, racing sponsors	5478	Flat wrench, 8mm (blue anodized aluminum)
917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &	3790	Gear adapter, fixed
	similar)	3691	Gearbox halves (L&R) (black) w/ idler gear shaft
950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
9909	Traxxas® racing banner, red & black (3x7 feet)	5148	Grease, white lithium
	Tires & Wheels	9492	Idler gear, 30-tooth/ idler gear shaft (steel)
5116		3696 9494	Idler gear, steel (30-tooth)
1675	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3434	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fit
8 54	Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,	3793	Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin
,007	#6469)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	20017	Stampede®, Rustler®)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
1747	Nuts, 4mm nylon locking (10)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignmen
747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		shaft (1) all hardened steel
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandi
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		Stampede®, Rustler®)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	9495	Pro Series Magnum 272R™ Transmission, complete (assemble
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	FFF0\/	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
1647	Silicone Grease	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pir
2754	Stub axle pins (4)	2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)
8689	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
	wheels, paddle tires, foam inserts) (electric rear) (2) (TSM®	31007	(6)
20004	rated)	1647	Silicone Grease
3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)	5556	Slipper pressure plate & hub (aluminum alloy)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	3195	Top drive gear, steel (22-tooth)
00007	wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)	3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®
	(TSM® rated)		Stampede®, Slash®)
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,		Traxxas Tools
	Talon tires, foam inserts) (electric rear) (2)	3433X	Body reamer (aluminum handle)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,	3433	Body reamer (diaminant nation) Body reamer (plastic handle)
.==.	Talon tires, foam inserts) (nitro rear/electric front) (2)	3436	Cap, body reamer
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels,	3432	Scissors, curved tip
3773	Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right) Tires & wheels, assembled, glued (All Star chrome wheels,	3431	Scissors, straight tip
113	Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels,		premium handle (medium), travel pouch, hex drivers (straight:
,,,,,,	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm
	right)		and 8.0mm), 1/4" drive
576R	Tires & wheels, assembled, glued (All-Star chrome wheels,	8720	Speed bit handle, large (overmolded)
	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1	8721	Speed bit handle, medium (one piece)
	right)	8722	Speed bit handle, premium (rubber overmold)
792	Tires & wheels, assembled, glued (black 2.8" wheels,	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
770	Sledgehammer® tires, foam inserts) (2) (TSM® rated)		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
3778	Tires & wheels, assembled, glued (black 2.8" wheels,		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm
	Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)		8.0mm), 1/4" drive
8663X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
J00A	dual profile tires, foam inserts) (electric rear) (2)		includes premium handle (medium), travel pouch, hex drivers
3665X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
	dual profile tires, foam inserts) (nitro rear/ electric front) (2)		2.5mm, 3.0mm), 1/4" drive
3663	Tires & wheels, assembled, glued (satin chrome wheels, Terra	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	Groove dual profile tires, foam inserts) (electric rear) (2)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm
3665	Tires & wheels, assembled, glued (satin chrome wheels, Terra	0740	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	Groove dual profile tires, foam inserts) (nitro rear/ electric front)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4
	(2)	8716¥	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	8716X	3.0mm) 1/4" drive
1791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
1870	Tires, Sledgehammer® terra-spiked (2)	5, 15	2.5mm), 1/4" drive
1790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
3671	Tires, Talon 2.8" (2)/ foam inserts (2)		2.5mm, 3.0mm), 1/4" drive
8654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)		Phillips, and #2 Phillips bits), 1/4" drive
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) /	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X		
5353	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD) Wheel nuts, splined, 17mm (blue-anodized) (4)		 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-join wrench)

Wheel wrench, splined, 17mm

Page 7 Stampede® Brushless: TQ™ 2.4 GHz radio (Model 36354-4) Parts List

3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
	drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
	wrenches/ driver handle)

	wrenches/ driver handle)
	Turnbuckles & Threaded Rods
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
	screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM