

Slash® Brushless Unassembled Kit (Model 58314-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	5824-BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Keegan
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		Kincaid (painted, decals applied) (assembled with front & rear
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	6928T	latches for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)		& blue (painted, decals applied)
2545	Bushings (plastic) (5x8x2.5mm) (4)	6928-ORNG	B Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		& blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
1000	Body & Accessories	5850-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		(painted, decals applied) (assembled with front & rear latches for
5851X	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue	69/1_OPNG	clipless mounting) B Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange
	(painted, decals applied)	0341-01110	(painted, decals applied) (assembled with front & rear latches for
5851-BLUE	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue		clipless mounting)
	(painted, decals applied) (assembled with front & rear latches for clipless mounting)	6844-ORNG	B Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange
5851G	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green &		and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5054 ODN	blue (painted, decals applied)	6928R	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red &
5851-GRN	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear	6020 DED	blue (painted, decals applied)
	latches for clipless mounting)	6928-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red & blue (painted, decals applied) (assembled with front & rear
5924-GRN	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green		latches for clipless mounting)
	(painted, decals applied) (assembled with front & rear latches for clipless mounting)	5855-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red
5851T	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange	6941-RED	(painted, decals applied) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red
	& blue (painted, decals applied)	0041 KLD	(painted, decals applied) (assembled with front & rear latches for
5851-ORNG	B Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange		clipless mounting)
	& blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)	5824-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for
5851P	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink &		clipless mounting)
FOE4 DINIK	purple (painted, decals applied)	5848-RNR	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Rock n'
5851-PINK	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink & purple (painted, decals applied) (assembled with front & rear		Roll (painted, decals applied) (assembled with front & rear latches for clipless mounting)
	latches for clipless mounting)	6811	Body, Slash® 4X4 (clear, requires painting)/ window masks/ decal
5851R	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red &		sheet
5851-RBLU	blue (painted, decals applied) Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red &	6932-GRN	Body, Slash® 4X4, green (painted, decals applied) (assembled
303 I-KBE0	blue (painted, decals applied) (assembled with front & rear	5849	with front & rear body mount latches for clipless mounting) Body, Slash® 4X4, Hawaiian graphics (painted, decals applied)
	latches for clipless mounting)	6965R	Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash®
5851	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied)		2WD) (clear, requires painting)/ window masks/ decal sheet
5924-RED	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red		(requires #6967 latches and #6966 latch mounts for clipless mounting)
	(painted, decals applied) (assembled with front & rear latches for	6811R	Body, Slash® 4X4, heavy duty (clear, requires painting)/ window
5851-RED	clipless mounting) Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red		masks/ decal sheet
303 I-KLD	(painted, decals applied) (assembled with front & rear latches for	5824 5850X	Body, Slash® 4X4, Keegan Kincaid (painted, decals applied) Body, Slash® 4X4, orange (painted, decals applied)
	clipless mounting)	5850X	Body, Slash® 4X4, orange (painted, decals applied)
5855	Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash®	6941X	Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash®
	4X4) (graphics are printed, requires paint & final color application)/ decal sheet		2WD) (graphics are printed, requires paint & final color
5924	Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash®	6933	application)/ decal sheet Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash®
	4X4) (graphics are printed, requires paint & final color	0333	2WD) (graphics are printed, requires paint & final color
5851L	application)/ decal sheet Body, Slash® 2WD, ProGraphix® (graphics are printed, requires		application)/ decal sheet
303 IL	paint & final color application)/ decal sheet	5855X	Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash®
6965	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD) (clear,		2WD) (graphics are printed, requires paint & final color application)/ decal sheet
	requires painting)/ window masks/ decal sheet (requires #6967	5812	Body, Slash® 4X4, ProGraphix® (Graphics are printed, requires
5855-BLUE	latches and #6966 latch mounts for clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue	cossi	paint & final color application)/ decal sheet
	(painted, decals applied)	6932L	Body, Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
6941-BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue	6928L	Body, Slash® 4X4, ProGraphix® (graphics are printed, requires
	(painted, decals applied) (assembled with front & rear latches for clipless mounting)	*****	paint & final color application)/ decal sheet
6928G	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green &	6811X	Body, Slash® 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet
	blue (painted, decals applied)	5824R	Body, Slash® 4X4, red (painted, decals applied)
6928-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear	6932-RED	Body, Slash® 4X4, red (painted, decals applied) (assembled with
	latches for clipless mounting)	5040	front & rear body mount latches for clipless mounting)
6941-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green	5848 6849	Body, Slash® 4x4, Rock n' Roll (painted, decals applied) Body, Slash® 4X4/Slash®, Fox Edition (painted, decals applied)
	(painted, decals applied) (assembled with front & rear latches for	6849R	Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® (painted,
6844-GRN	clipless mounting) Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green		decals applied)
00-74-OIXIN	and blue (painted, decals applied) (assembled with front & rear	6849-FOX	Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® Edition
	latches for clipless mounting)		(painted, decals applied) (assembled with front & rear latches for clipless mounting)
5849-HWN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Hawaiian graphics (painted, decals applied) (assembled with	6812G	Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue
	front & rear latches for clipless mounting)		(painted, decals applied)
	. 5,		

Page 2 Slash® Brushless Unassembled Kit: TQ™ 2.4GHz Radio (Model 58314-4) Parts List

rage 2	Siasile brusilless Gliassellibleu Kit. 1 & 2.40112 K	adio (Mod	iei 303 i i) Fai ta Liat
6812-GRN	Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
	(painted, decals applied) (assembled with front & rear latches for		series)
CO40T	Clipless mounting)	9464	Wheelie bar mount (heavy duty)
6812T	Body, Slash® VXL 2WD (also fits Slash® 4X4), orange & blue (painted, decals applied)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
6812-ORNG	B Body, Slash® VXL 2WD (also fits Slash® 4X4), orange & blue	3678X	Rustler®, Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
0012-01110	(painted, decals applied) (assembled with front & rear latches for	30707	series)
	clipless mounting)	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,
6812R	Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted,		Rustler®, Bandit® series)
	decals applied)	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
6812-RED	Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted,		Rustler®, Bandit® series)
	decals applied) (assembled with front & rear latches for clipless	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
5915	mounting) Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4)		Bandit series)
3913	(graphics are printed, requires paint & final color application)/	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
	decal sheet	9460	Wheelie bar, black (assembled)/ wheelie bar mount
6812L	Body, Slash® VXL, ProGraphix® (graphics are printed, requires	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
	paint & final color application)/ decal sheet	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
2514	Decal sheet, racing sponsors	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
5813	Decal Sheet, Slash		axles (2)/ rubber tires (2)
6966	Latch mounts/ retainers (front & rear, left & right)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
6967	Latch, body mounts (front & rear)		axles (2)/ rubber tires (2)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color) Paint masks, body	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
5846	, ,	9461T	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	Chassis & Attachments	34011	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
0463	BCS (with threadlock) (2) Axio wheelig has 6064 T6 aluminum (gray anodized) (1)/ 3x12		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12	04040	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
0.000	BCS (with threadlock) (2)	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
	BCS (with threadlock) (2)	3401	
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12		Differential Components
	BCS (with threadlock) (2)	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12	00041/	Stampede®, Slash®)
6940	BCS (with threadlock) (2) Body mounts, front & rear	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
00Z-F	2.5x8mm CS (2)/ 3x6mm BCS (2)	2002	shaft (1) all hardened steel
5835X	Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
	installation)		Stampede®, Rustler®)
5835	Bumper, front/ bumper mount, front (black)	5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
5835P	Bumper, front/ bumper mount, front (pink)	1647	Silicone Grease
5838	Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit		Driveline Components
5836	installation)	3637	Axles (front) (2)
5836P	Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink)	5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5830	Chassis conversion kit, low CG (Slash®)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5832	Chassis, low CG (black)	9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/
5832A	Chassis, low CG (blue)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
5832G	Chassis, low CG (grey)	0450 BLUE	9181, 9182 upgrade kit)
5822	Chassis, Slash	9130-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
5822A	Chassis, Slash (black)		9181, 9182 upgrade kit)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/	9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/
E007V	angled body clip		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-		9182 upgrade kit)
	cell batteries)	9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/
5831	Lower chassis, low CG (black)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
5831A	Lower chassis, low CG (blue)	9150_OPNG	9181, 9182 upgrade kit) carriers, stub axle, rear, extreme heavy duty, orange (left &
5831G	Lower chassis, low CG (grey)	J.JU-ORNO	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with
5823	Nerf bars, chassis (black)		#9180, 9181, 9182 upgrade kit)
5833	Nerf bars, low CG (black)	9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/
5833A	Nerf bars, low CG (blue)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
5833G	Nerf bars, low CG (grey)	00501	9181, 9182 upgrade kit)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9462X 9462	Side plates, wheelie bar, blue (aluminum) (2) Side plates, wheelie bar, charcoal gray (aluminum) (2)	9057X 6828A	Differential output shafts, steel-splined constant-velocity (2) Differential output yoke assembly, extreme heavy duty (2) (left or
9462 9462G	Side plates, wheelie bar, charcoal gray (aluminum) (2)	3020A	right, front or rear) (assembled with external-splined half shaft)/ screw
9462A	Side plates, wheelie bar, green (aluminum) (2)		pin (2)
9462P	Side plates, wheelie bar, birdige (aluminum) (2)	6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully
9462R	Side plates, wheelie bar, red (aluminum) (2)		assembled, ready to install)/ screw pin (1)
5837	Skidplates, front & rear (black)	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	00507	assembly) (2)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
3677X	Wheelie bar mount (1) / hardware (blue)	9055X	Half shaft, external splined (steel-spline constant velocity) (1)
3677A	Wheelie bar mount (1) / hardware (green)	6750	Half shaft, external splined (steel-spline constant velocity) (1)
3677P	Wheelie bar mount (1) / hardware (pink)	9056X	Half shaft, internal splined (steel-spline constant velocity) (1)

Page 3 Slash® Brushless Unassembled Kit: TQ™ 2.4GHz Radio (Model 58314-4) Parts List

	Half shaft, internal splined (steel-spline constant velocity) (1) Rebuild kit, steel-splined constant-velocity driveshafts (includes		Front Suspension & Steering
	pins and hardware for one axle shaft)	3637 5116A	Axles (front) (2) Ball bearings, black rubber sealed (5x11x4mm) (2)
	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)	5116A 5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right)	2530-BLK	Bulkhead (front) (black)
2754	(assembled with internal-splined half shaft)	2530-GRAY 2545	Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4)
	Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1)	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/
	Stub axle, rear, steel-splined constant velocity (1)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	Extreme HD Upgrade Kit	0426 DI HE	9181 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	9130-DLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,		9181 upgrade kit)
	9181, 9182 upgrade kit)	9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/
	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
	9181, 9182 upgrade kit)	9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/
	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-ORNG	9181 upgrade kit) : Caster blocks (c-hubs), extreme heavy duty, orange (left & right
	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/	0.00 0	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	0400 BEB	9181 upgrade kit)
	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left &	9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with		9181 upgrade kit)
	#9180, 9181, 9182 upgrade kit)	5347	Rod ends, Revo® (large) with hollow balls (12)
	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3646 3744X	Screws, 3x15mm flat-head machine (hex drive) (6)
	9181, 9182 upgrade kit)	3639	Servo saver w/ adapters Shock tower (front)
	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/	3743	Steering bellcranks (I&r)/ draglink
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum
	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/	3743G	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	3/430	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
	9181 upgrade kit)	3743T	Steering bellcranks, drag link (orange-anodized 6061-T6
	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	07.400	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
	9181 upgrade kit)	3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum 5x8mm ball bearings (4)/ hardware (assembled)
	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/	3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)		5x8mm ball bearings (4)/ hardware (assembled)
	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/	6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mi
	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	0137_RI IIE	upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm
	9181 upgrade kit)	JIO7-DEGE	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)		upgrade kit)
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	blue (fits Slash® 2WD)		upgrade kit)
9181-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/
9181-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
	green (fits Slash® 2WD)	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	9137-RED	9181, 9182 upgrade kit)
	red (fits Slash® 2WD)	9131-KED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	Shock tower (rear) (for clipless body mounting)		upgrade kit)
	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	3631X	Suspension arms, black, front, heavy duty (2)
	upgrade kit)	3631A 3631G	Suspension arms, blue, front, heavy duty (2) Suspension arms, green, front, heavy duty (2)
	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm	3631T	Suspension arms, green, front, heavy duty (2)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3631R	Suspension arms, red, front, heavy duty (2)
	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm	9142	Suspension pin set, extreme heavy duty, complete (front and rear)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182		(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
	upgrade kit) Stooring blocks, extreme because duty, green (left & right)/	2640	Suspension pins, 44mm (2) w/ E-clips
	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,	2532	Tie bar, fiberglass
	9181, 9182 upgrade kit)	1935	Turnbuckles, 36mm (2)
	Steering blocks, extreme heavy duty, orange (left & right)/	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
9137-ORNG			wrench #5477)
9137-ORNG	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)		wiench #5477)
9137-ORNG	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)
9137-ORNG 9137-RED	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
9137-ORNG 9137-RED	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm	3139G 3139T	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)

Page 4 Slash® Brushless Unassembled Kit: TQ™ 2.4GHz Radio (Model 58314-4) Parts List

3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL 2s™
	wrench #5477)	3790	Gear adapter, fixed
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	2072A	Gear set (for 2070, 2075 servos)
	(assembled with rod ends & hollow balls) (requires 5mm	2252	Gear set, metal (for 2250, 2255 servos)
	aluminum wrench #5477)	2272	Gear set, metal (for 2270 waterproof servo)
8644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	3384	Motor, BL-2s™ 3300, brushless
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
	Slash)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo
	with rod ends and hollow balls)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (f
	Hardware		2250, 2255 servos)
926	Antenna caps, vinyl (2)/ antenna spool	2271	Servo case/ gaskets (for 2270 waterproof servo)
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
935	, (, ,	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	Body clip (mounting clip), angled, 90-degrees (10)	2075	Servo, digital high-torque (ball bearing), waterproof
8935A	Body clip (mounting clip), angled, 90-degrees (black) (10)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing)
8934	Body clips, heavy duty (12)	2200	waterproof
1859	CS 3x10 flathead (hex drive)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
1589	Double-sided adhesive tape (25mm x 25mm)	2200	bearing), waterproof
1633	E-clips/ C-rings	2280	Servo, digital high-torque 600 brushless, metal gear (ball
2745	Nuts, 3mm nylon locking (12)	2200	bearing), waterproof
747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2270	Servo, digital high-torque, metal gear (ball bearing), waterproc
8647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		, , , , , , , , , , , , , , , , , , , ,
1747	Nuts, 4mm nylon locking (10)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproc
747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	3350R	Velineon® VXL-3s Brushless Power System, waterproof
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and
747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		speed control mounting plate (part #3725))
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)		Radio System, Batteries & Chargers
985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2827X	3000mah 7.4v 2-Cell LiPo Battery
525	Rod ends (12)/ hollow balls (12)	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
5347		2843X	•
	Rod ends, Revo® (large) with hollow balls (12)		5800mah 7.4v 2-Cell 25C LiPo Battery
2742X	Rod ends, short (6)/ hollow balls (6)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2914	AA 4PK
3965	Screws, 2.5x8mm cap-head machine (6)	2976	AC to DC adapter
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
2578	Screws, 3x12mm button-head machine (hex drive) (6)		batteries to separate balance ports)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
2579	Screws, 3x15mm button-head machine (hex drive) (6)	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut too
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2943	Battery charge indicators, green (4), grey (4), blue (4)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
2583	Screws, 3x18 button-head machine (hex drive) (6)		transmitter)
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2591	Screws, 3x23mm button-head machine (hex drive) (6)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2592	Screws, 3x40mm button-head machine (hex drive) (6)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2576	, , , , ,	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
	Screws, 3x8mm button-head machine (hex drive) (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2985-2S	Battery/charger completer pack (includes #2985 charger (1),
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2903-23	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	2260	- · · · · · · · · · · · · · · · · · · ·
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2200	BEC assembly (complete) (12.6 volts (3s LiPo) maximum inpu
2743	Set (grub) screws, 3mm hardened (12)	0075	voltage)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
	captured (4)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	0075	Identification
	(2)/ draglink shoulder screws (chrome) (2)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)		Battery Identification
2754	Stub axle pins (4)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
2746	Washers, 3x6mm metal (12)		Identification
	LED Lights	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
	<u> </u>		Battery Identification
3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)	2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto
	(requires front bumper #5835X for 2WD Slash®, #3635 for 2WD		Battery Identification
	Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD	2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
	Slash®, or #6735 for 4WD Stampede®)	6525	Communication link, telemetry expander
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
	bumper)	2072A	Gear set (for 2070, 2075 servos)
894	LED light set, complete (includes front and rear bumpers with	2252	Gear set, metal (for 2250, 2255 servos)
	LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD	2272	Gear set, metal (for 2270 waterproof servo)
	Slash®)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter f
2263	Y-harness, BEC to LED light set		Traxxas® iD® batteries)
		2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
	Motors & Electronics	4300	
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	CEF AV	Traxxas® iD® batteries)
260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
	voltage)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC		pad
	& BL-2s™ 3300 motor)	2912	Power adapter, AC, USB-C (45W) (110 volt, North America onl
383	BL-2s™ Electronic Speed Control, waterproof (brushless)	2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
	(fwd/rev/brake)	6519	Receiver, micro, TQ 2.4GHz (3-channel)
	\		Seal kit, expander box (includes o-ring, seals, and silicone
	·	6552	Seal Kit, expander box (includes 0-ring, seals, and sincone

Page 5	Slash® Brushless Unassembled Kit: TQ™ 2.4GHz R	adio (Mo	odel 58314-4) Parts List
6526	Sensor, auto-detectable, temperature	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6527	Sensor, auto-detectable, voltage	5029	Shock oil bottle (60cc) (for mixing shock oil)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
6521	Sensor, temperature and voltage (long)	5000	80 wt premium shock oils with spinning carousel rack)
2254 2253	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	5038	Spinning carousel rack
2253	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for		Shocks (Pro-level Aluminum)
	2250, 2255 servos)	2664	Big Bore shock cylinder (long) (1)
2271	Servo case/ gaskets (for 2270 waterproof servo)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2074 2075D	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6
2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof		aluminum) (assembled with TiN shafts) w/o springs (2)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6
	waterproof	2669	aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2000	& washers (2) (Big Bore Shocks)
2270	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2742	(2) Red and a short (6) / hellow hells (6)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	2742X 2667	Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) (Big Bore Shocks)
6550X	Telemetry expander 2.0, TQi radio system (for use only with	2362	Shock rebuild kit (for 2 shocks)
CEE4V	#6551X GPS module)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	4004	(2)
	3x8mm CCS (3)/ 3x10mm CCS (3)	1664 2656	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)
6540	Telemetry trigger magnet, 5X2mm (1)	1765	Silicone diaphragms (4)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
6507R	enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
000710	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	5000	Shocks)
	receiver)	5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)		shocks)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-		Shocks (Ultra Shocks)
	channel (transmitter only)	3765A	Body, Ultra Shock (long) (grey) (2)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-	3766A	Body, Ultra Shock (XXL) (grey) (2)
6511	channel (transmitter only) Traxxas® Link Bluetooth® module	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	2742	(2) Red ands short (6) hollow halls (6)
	Rear Suspension	2742X 3767	Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)
E44CA	_	8361	Shock caps (black) (4) (assembled with hollow balls)
5116A 5116	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
0450 BLUE	9181, 9182 upgrade kit)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
	9181, 9182 upgrade kit)	2362	Shock rebuild kit (for 2 shocks)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
9150-GRN		1664	Shock shafts, steel, chrome finish (long) (2)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2656	Shock shafts, steel, chrome finish (xx-long) (2)
	9181, 9182 upgrade kit)	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
9150-ORNG	G Carriers, stub axle, rear, extreme heavy duty, orange (left &	1765	Silicone diaphragms (4)
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/	3700	(2)) (2))
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2458P	Springs (front) (pink) (2)
3638R	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting)	2458A	Springs (front) (white) (2)
2555X	Suspension arms, black, rear, heavy duty (2)	3757T	Springs, blue (rear) (2)
2555A	Suspension arms, blue, rear, heavy duty (2)	2458 5857P	Springs, front (black) (2) Springs, front (pink) (progressive rate) (2)
2555G	Suspension arms, green, rear, heavy duty (2)	5857 5857	Springs, front (phile) (progressive rate) (2)
2555T	Suspension arms, orange, rear, heavy duty (2)	3757A	Springs, green (rear) (2)
2555R	Suspension arms, red, rear, heavy duty (2)	3757P	Springs, pink (rear) (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	3757	Springs, rear (black) (2)
	#9180, 9181, 9182 upgrade kit)	5858P	Springs, rear (pink) (progressive rate) (2)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	5858 4957	Springs, rear (white) (progressive rate) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	4957 3757X	Springs, red (for office shocks only) (2.5 rate) (f/f) (2) Springs, white (rear) (2)
	Slash)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
	Shock Oil		& springs) (front) (2)
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	3760A	spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
5033	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	3. 00/1	springs) (2)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &

5035 5036

Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Page 6 Slash® Brushless Unassembled Kit: TQ™ 2.4GHz Radio (Model 58314-4) Parts List

3793	Slipper Clutch Components Input shaft (slipper shaft) / spring pin	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
5552X 2554	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)	3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
5556	Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears	3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3790	Gear adapter, fixed	2420V	wrench #5477)
2416	Gear, 16-T pinion (48-pitch) / set screw	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm
1918	Gear, 18-T pinion (48-pitch) / set screw		aluminum wrench #5477)
2419	Gear, 19-T pinion (48-pitch) / set screw	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
2421	Gear, 21-T pinion (48-pitch) / set screw		with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw		Slash)
2423 2426	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
4728	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw		,
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw		Team Traxxas Items
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)	2514 9917	Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control	9950	similar) Official Team Traxxas® racing decal set(flag logo/ 6-color)
4690	slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control	9909	Traxxas® racing banner, red & black (3x7 feet)
4030	slipper clutch)		Tires & Wheels
	Steering Components	E116A	
		5116A 5116	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
2728	Ball bearings (5x8x2.5mm) (2)	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
2545 1985	Bushings (plastic) (5x8x2.5mm) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		#6469)
2742	Rod ends, long (6)/ hollow ball connectors (6)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
5347	Rod ends, Revo® (large) with hollow balls (12)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
3744X	Servo saver w/ adapters	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
07.10	(2)/ draglink shoulder screws (chrome) (2)	1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
3743	Steering bellcranks (l&r)/ draglink	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	1647	Silicone Grease
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	2754	Stub axle pins (4)
3743T	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (orange-anodized 6061-T6	5882R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)
0740D	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6874R	(2) (2WD front) Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	007410	chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	5877R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke,
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering		chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)
1935	Turnbuckles, 36mm (2)	6873R	Tire & wheel assy, glued (\$1 compound) (\$CT \$S, chrome red
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6873X	Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5000	tire, inserts) (2) (4WD f/r, 2WD rear)
2420T	wrench #5477)	5869	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum		inserts) (2) (2WD front)
	wrench #5477)	5867	Tire & wheel assy, glued (SCT chrome, red beadlock style
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5881X	(2)(4WD front/rear, 2WD rear only) Tire & wheel assy, glued (SCT satin chrome, beadlock style
2420V	wrench #5477)	300 IX	wheels, Kumho tires, foam inserts) (2) (2WD front only)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm	5880X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear
3745	aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	5881	only) Tire & wheel assy, glued (SCT satin chrome, black beadlock
0740	with rod ends and hollow balls)	3001	style wheels, Kumho tires, foam inserts) (2) (2WD front)
2746	Washers, 3x6mm metal (12)	5880	Tire & wheel assy, glued (SCT satin chrome, black beadlock
	Suspension Linkage		style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD
5525	Rod ends (12)/ hollow balls (12)	E075Y	rear only)
5347	Rod ends, Revo® (large) with hollow balls (12)	5875X	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD
3739 5529	Screw pin set (Rustler®/ Bandit/ Stampede®) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		front)
0023	captured (4)	5878	Tire & wheel assy, glued (SCT satin chrome, black beadlock
9142	Suspension pin set, extreme heavy duty, complete (front and rear)		wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert)
	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	0070	(2)(4WD front/rear, 2WD rear only)
	#9180, 9181, 9182 upgrade kit)	6873A	Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts)
0040	Suppopolog pipo 44mm (2) w/ E olipo		Style wheel, bi doodilele mud-terralli - I/Ae NWZ tile, iliserts)
2640	Suspension pins, 44mm (2) w/ E-clips Turnbuckles, eluminum (blue appelized), too links, 59mm (2)		(2) (4WD f/r, 2WD rear)
2640 3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5882	(2) (4WD f/r, 2WD rear) Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black

Page 1	Siasn® Brusniess Unassembled Kit: 1Q''' 2.4GHZ K	adio (ivio	dei 56314-4) Parts List
6874	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black	5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2"
	beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	E072	outer 3.0" inner) (2) (Front)
5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock	5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)
	wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2)	5872X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5885	(4WD f/r, 2WD rear) Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"
0000	beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires,	5886A	outer 3.0" inner) (Front) (2) Wheels, SCT split-spoke, black, blue beadlock style, dual profile
5000	inserts) (2) (2WD Front)		(2.2" outer 3.0" inner) (2WD front) (2)
5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, input; (2) (A)W ftr. 2)WD rears	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5877A	inserts) (2) (4WD f/r, 2WD rear) Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
	wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5877	Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5864	inserts) (2) (2WD Front) Tire & wheel assy, glued (SCT, black, orange beadlock wheels,	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5863	SCT off-road racing tires, foam inserts) (2) (2WD Front) Tire & wheel assy, glued (SCT, black, orange beadlock wheels,	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
	SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	6872	dual profile (2.2" outer 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear
5865	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2)	5870X	only) (2) Wheels, SCT, black, orange beadlock style, dual profile (2.2"
6876	(2WD front only) Tire & wheel assy, glued (SCT, chrome, green beadlock wheel,	5868X	outer 3.0" inner) (2WD front) (2) Wheels, SCT, black, orange beadlock style, dual profile (2.2"
	BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)	5866	outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
5873X	Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD	6875	outer 3.0" inner) (2) (2WD front only) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
5869A	front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT chrome, blue beadlock		outer 3.0" inner) (2) c
3003A	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam		Transmission Components
	inserts) (2) (2WD front)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5867A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam	3792 3790	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
	inserts) (2) (4WD front/rear, 2WD rear only)	3790 3691	Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft
5891	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin	3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
	chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5148	Grease, white lithium
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin	9492	Idler gear, 30-tooth/ idler gear shaft (steel)
	chrome, black beadlock style wheels, BFGoodrich® Mud- Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	3696 9494	Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
5875	(TSM® rated) Tires & wheels, assembled, glued (SCT, satin chrome wheels,	3793	Input shaft (slipper shaft) / spring pin
	beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
5873	Tires & wheels, assembled, glued (SCT, satin chrome wheels,	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
	beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
5873A	Tires & wheels, assembled, glued (SCT, satin chrome wheels,	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
	red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road	9495	Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled)
5873R	tires, foam inserts) (2) (Rear) Tires & wheels, assembled, glued (SCT, satin chrome, red	3430	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
	beadlock wheels, ultra soft S1 compound off-road racing tires,	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
0074	foam inserts) (2) (2WD Rear, 4WD F/R)	2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)
6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-	1647	Silicone Grease
	road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam	5556	Slipper pressure plate & hub (aluminum alloy)
6870	inserts (2) Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3195 3695	Top drive gear, steel (22-tooth) Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3093	Stampede®, Slash®)
5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	3433X	Traxias Tools Body reamer (aluminum handle)
5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual	3433	Body reamer (plastic handle)
0054	profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	3436	Cap, body reamer
3654 1654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2)	3432 3431	Scissors, curved tip Scissors, straight tip
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		and 8.0mm), 1/4" drive
5480X	Wheel wrench, splined, 17mm	8720	Speed bit handle, large (overmolded)
5868A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	8721 8722	Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold)
5870A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)		
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)		

Page 8 Slash® Brushless Unassembled Kit: TQ™ 2.4GHz Radio (Model 58314-4) Parts List

8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	Turnbuckles & Threaded Rods
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum

(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on

3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM