

Motors & Electronics

9785	ECM-2.5 Electronic Control Module, waterproof (low voltage detection, fwd/rev/brake)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
9793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)
9793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium-anodized)
9793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)
9793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, orange-anodized)
9793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)
9775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
9740	Servo horn (metal)
2065R	Servo, sub-micro, waterproof, metal gear

Radio System, Batteries & Chargers

2821	750mAh 7.4V 2-Cell 20C LiPo Battery
2914	AA 4PK
9767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only)
2064A	Gear set (for 2065A waterproof sub-micro servo)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
9740	Servo horn (metal)
2065R	Servo, sub-micro, waterproof, metal gear

Ready-To-Race Model

98064-1	TRX-4MT™ Monster Truck with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System
---------	---

Scale Accessories

9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)
9797	Trailer wheels (2)/ tires (2)/ mounting hardware
9795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks

9763	Body, GTM shock (molded composite) (gray) (2)
9763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2)
9763-GRAY	Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2)
9763-GRN	Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2)
9763-ORNG	Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2)
9763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9761A	Lower retainer, shock, brass (1 gram each) (4)
9762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps) (renews 2 shocks)
9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer (4)
9764	Shocks, GTM (assembled w/o springs) (2)
9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4)
9764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized) (fully assembled w/o springs) (4)
9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled w/o springs) (4)
9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled w/o springs) (4)
9757	Spring, shock (GTM) (0.072 rate) (1 pair)
9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9759	Spring, shock (GTM) (0.123 rate) (1 pair)
9760	Spring, shock (GTM) (0.155 rate) (1 pair)

Springs

9757	Spring, shock (GTM) (0.072 rate) (1 pair)
9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9759	Spring, shock (GTM) (0.123 rate) (1 pair)
9760	Spring, shock (GTM) (0.155 rate) (1 pair)

Steering Components

9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)
9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left & right)
9733-ORNG	Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right)
9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
9733	Caster blocks, brass (4 grams each) (left & right)
9737-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-ORNG	Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9842	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)

Suspension Linkage

7028	Hollow balls (20)
7028X	Hollow balls, steel (machined) (22)
7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
9842	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)
9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)
9873	Tires & wheels, assembled (chrome 1.0" wheels, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" tires) (2)
9867	Tires & wheels, assembled (chrome 1.2" wheels, Terra Groove 3.0x1.0" tires) (2)
9771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)
9769	Tires, Canyon Trail 2.2x1.0" (2)
9782	Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)
9871	Tires, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" (2)
9750	Wheel hubs, 7mm hex (4)/ axle pins (8)

Page 3 TRX-4MT™ 1/18 1979 Chevrolet® K10 Monster Truck (Model 98064-1) Parts List

- 9750A Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)
- 9750X Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)
- 9780 Wheel weights, brass (31 grams each) (2) (requires #9781 series wheels)
- 9768-BLKCR Wheels, 1.0" (black chrome) (2)
- 9770-BLKCR Wheels, 1.0" (black chrome) (2)
- 9770 Wheels, 1.0" (black) (2)
- 9768 Wheels, 1.0" (black) (2)
- 9870 Wheels, 1.0" (chrome) (2)
- 9768-SATIN Wheels, 1.0" (satin chrome) (2)
- 9770-SATIN Wheels, 1.0" (satin chrome) (2)
- 9781 Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)
- 9781-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2)
- 9781-SATIN Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

Transmission Components

- 9745R Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings) (6)
- 9776 Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/ pinion gear, 11-tooth
- 9776R Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth
- 9776X Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear, 11-tooth
- 9747 Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm pins (2)
- 9747X Output shaft, transmission
- 9791 Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
- 9791R Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
- 9791X Transmission, complete (speed gearing) (9.7:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)